Organ Donation Management and Allocation System

¹G. Angel, B. Tech Student, Department of CSE, DNR COLLEGE OF ENGINEERING AND TECHNOLOGY, angel.ghantasala123@gmail.com

² B. Vanitha Priya Darshini, B. Tech Student, Department of CSE, DNR COLLEGE OF ENGINEERING AND TECHNOLOGY, bvpriyadarshini2002@gmail.com

³ P. Sri Lalitha Bhavana, B. Tech student, Department of CSE, DNR COLLEGE OF ENGINEERING AND TECHNOLOGY,

penmets abhavanaa @gmail.com

⁴ Dr. Satyanarayana Gaddada, Professor, Department of CSE, DNR COLLEGE OF ENGINEERING AND TECHNOLOGY, Bhimavaram, Andhra Pradesh, India. sreesatyam@yahoo.in

Abstract: This paper presents a decentralized system for managing organ donations, facilitating quick access to donor records nationwide. The system collects and delivers donations to respective organizations, providing transparency to doctors. It manages donor registration and user maintenance, enabling interested individuals to register themselves. Organ transplantation is essential for patients with organ failure, yet inadequate supply, especially from deceased donors, poses a challenge. Effective systems, like opt-out and donor action programs, are necessary to promote deceased donations. Counseling on organ donation is crucial for families of brain-dead patients, [11] and standard practices should involve contacting Organ Procurement Organizations. A cloud-based blood bank system aims to provide timely access to blood, saving time and effort for recipients. The system, hosted on Ganache Database, streamlines organ and blood matching based on blood groups, enhancing efficiency in emergency situations.

Key Words: Organ donation, Blockchain, Ganache

I. INTRODUCTION

The project's primary objective is to establish a system which gives saving of lives of youngers. The Online Organ Donation System [1] is an innovative platform designed to streamline the process of organ allocation. With the integration of an age priority factor, this system ensures that younger patients in need of organ transplants receive priority consideration. By leveraging technology, it facilitates efficient matching of donors with recipients, optimizing outcomes and promoting fairness in the allocation process. This approach helps maximize the chances of successful transplantation for those who stand to benefit the most, especially younger individuals requiring life-saving organ transplants. The Online Organ Donation System [1] prioritizes organ allocation based on various factors, including medical urgency, compatibility, and now, age. This system aims to ensure fair and efficient distribution of organs, considering the urgency of younger patients who may benefit more from transplantation. By incorporating age as a priority factor, it aims to optimize outcomes and promote equitable access to life-saving organ transplants.

The organ transplantation has emerged as one of the most important fields in the healthcare sector [8]. By giving priority to younger recipients, who often have a higher chance of successful transplantation and longer life expectancy post-transplant, the system aims to maximize the overall impact of organ donations. This approach ensures that organs are allocated efficiently, promoting fairness and equitable access to life-saving treatments while improving outcomes for recipients.

In today's rapidly evolving digital landscape, ensuring the motivation for implementing an Online Organ Donation System [1] with a priority age factor stems from the desire to save as many lives as possible while maximizing the long-term impact of organ transplants. Younger patients typically have better health outcomes and longer life expectancies post-transplant compared to older patients. Prioritizing younger recipients ensures that organs are allocated where they can have the greatest impact, ultimately saving more lives and improving overall quality of life. This approach aligns with the principles of fairness, efficiency, and maximizing the benefits of organ donation for society as a whole.

In contemporary contexts, the current organ donation system lacks an efficient mechanism for prioritizing organ allocation based on age factors. Many potential organ recipients face long waiting times, and the allocation process may not consider the urgency of need relative to the age of the recipient. The current lack of comprehensive online platforms for organ donation [1] leads to delays and uncertainties in accessing organs, causing preventable deaths. To mitigate this challenge, we introduce the Web-Based Organ Donation

Management System, aiming to centralize donation requests and registrations for the 1.4 billion people in India. Consequently, there is a pressing need for an online organ donation system that incorporates a priority age factor to streamline the allocation process and ensure fair and efficient distribution of organs. Additionally, the system prioritizes younger recipients during emergencies, acknowledging their higher chances of recovery and post-transplant longevity.

II. LITERATURE SURVEY

The literature surrounding the utilization of blockchain technology in organ donation management system [3]. Various researchers have explored the potential of blockchain to address the challenges faced by organ donation management system, such as tampering, lack of transparency, and vulnerabilities to unauthorized access. This literature survey aims to provide an overview of some key studies in this field, highlighting their methodologies, findings, and contributions.

Siddhant Rastog, Shailesh Tiwari, Ms. Madhavi Mane [1] propose an Online Organ Donation Management System that the organ management data system facilitates quick access to donor records nationwide, ensuring transparency in the donation process. It collects various kinds of donations, delivering them to respective organizations and providing necessary information to doctors for effective management. Despite the critical need for organ transplantation, the gap between supply and demand persists due to insufficient deceased donors. Lack of awareness and social support further exacerbates the issue, leading to underutilization of available organs. To address this, initiatives such as opt-out systems and donation after circulatory death programs are crucial for promoting deceased donations. Counselling on organ donation, especially for families of brain-dead patients, is essential, with physicians involving Organ Procurement Organization coordinators in discussions. Intensive screening and professional counselling are vital components for identifying potential organ donors and supporting families through the process. Authorities should consider implementing opt-out systems and fostering social systemic efforts to improve organ donation rates and bridge the gap between supply and demand.

Gollu Ajay, Allu Lokesh, Gantla kousalya [2] focus on A Web DAPP for Efficient Organ Donation Management System. It's hard to understand the level of urgency and desperation someone feels when their loved one needs an organ transplant but they can't find a suitable donor. Organ donation is a critical procedure that can potentially save lives, but there are several obstacles that make it challenging, such as a shortage of donors and complicated systems of third-party intermediaries. Blockchain technology offers many features, including decentralization, transparency, and privacy that make it an important tool for digital automation. The proposed system is a decentralized web-based application [5] that offers an effective platform for hospitals, organ recipients and donors to connect. The architecture allows users to interact with a smart contract on the blockchain [13] without having to manage their own keys, while still maintaining the security and transparency advantages of using a decentralized system [5]. As a result, it can offer a good balance between decentralization and convenience. The use of and off-chain databases will improve data security, accessibility, and overall efficiency.

Lama Abdulwahab Dajim, Rincy Merlin Mathew [3] explore the use of blockchain in organ donation, The proposed system is an organ donation decentralized app using blockchain technology. It would be a web application for patients to register their information-most importantly medical ID, blood type, organ type and state. The system would work on a first-in, first-out basis unless a patient is in critical condition. The problem facing organ donation systems around the world is the same, more people on the waiting list than actual donors, and the gap is widening each year. The length of the waiting list may mean patients die before donation takes place. Modern systems responsible for gathering organ donations and handling processes leading up to organ transplantations can lack transparency. They are also usually slow, which is intolerable in such a serious, lifethreatening matter. These systems are rarely up-to-date with the minimum-security requirements, and with improvements in modern computer processing power and algorithms, it is best to take a cautious approach to avoid future complications.

L. A. Dajim, S. A. Al-Farras, B. S. Al-Shahrani, A. A. Al-Zuraib and R. M. Mathew, "Organ donation decentralized application using blockchain technology", [4] the proposed system is an organ donation decentralized app using blockchain technology. It would be a web application for patients to register their information— most importantly medical ID, blood type, organ type and state. The system would work on a first-in, first-out basis unless a patient is in critical condition

a) Proposed Work:

III. METHODOLOGY

The proposed Organ Donation Management and allocation offers several advantages over traditional systems. Due to the monopoly of some hospitals, some illegitimate methods [9] and the urgent needs of recipients, the hospitals tend to charge a highly unreasonable and huge amount for transplantation in the present unreliable system [10].

The proposed Organ Donation Management System offers a comprehensive solution to address the shortcomings of the existing system. By centralizing donor registrations and donation requests, the system streamlines the donation process, making it more accessible and transparent for individuals in need of organ transplants. Leveraging online platforms, the system ensures prompt access to donor records and facilitates communication between donors, recipients, and medical professionals. This proposed system uses the age factor which gives the priority to youngers among older in critical condition of organ donation.

b) System Architecture:



Fig1 Proposed Architecture

The system architecture comprises five main components: Donor, Patient, Hospital, Website and the Backend Server (Repository).

The donor module contains information such as the donor's name, age, gender, organ donated, blood group, weight, donor medical id and height. The patient module contains information such as the patient's name, age, gender, organ needed, blood group, weight, donor medical id and height. In the hospital module, it displays the matched donor and patient based on the organ needed, blood group compatibility, and prioritizes younger patients among the matched candidates.

The Blockchain Network stores user information securely. Each user's data is stored as transactions on the blockchain. This decentralized ledger ensures immutability, transparency, and tamper-proofing of user data.

The Backend Server acts as an intermediary between the user interface and the blockchain network. It processes user requests, validates transactions, and communicates with the Blockchain network. Additionally, the backend server manages user authentication and authorization processes, ensuring secure access to the blockchain.

Overall, this architecture provides a robust and secure system for sending and verifying information, leveraging blockchain technology for data integrity and transparency.

c) User Signup:

The User Signup module enables individuals to register accounts by providing personal information, credentials (username, password), and any required data. Upon successful registration, their information is securely stored within the system, possibly utilizing blockchain for data integrity. This module serves as the entry point for users to access system features and functionalities.

d) User Signin:

The User Sign-in module allows registered users to authenticate themselves using their credentials. This module verifies the provided information against stored records to grant access to the system. Upon successful authentication, users are granted access to system functionalities based on their assigned permissions and roles. This module ensures secure access to the system for authorized users, maintaining data integrity and user privacy.

1. Add information:

The Add Information module empowers users to input or upload evidence-related data into the system. This may include uploading documents, entering information, or attaching relevant files related to the managed evidence. The added information undergoes processes to ensure authenticity, immutability, and secure storage, often leveraging the capabilities of blockchain technology. This module enhances the integrity and reliability of evidence management, maintaining a transparent and tamper-proof record of information.

2. Check information:

The Check Information module enables users to access and verify data stored within the system. It offers functionalities for searching, retrieving, and viewing specific evidence or related information. This module ensures transparent access for authorized users while upholding the security and integrity of stored data. By providing users with the means to validate information, it enhances confidence in the reliability and trustworthiness of the evidence management system.

e) Blockchain Integration:

Blockchain [7,12] is a decentralized and distributed ledger, that was first introduced by Satoshi Nakamoto [8] in 2008. Blockchain's decentralized ledger involves storing evidence records across numerous nodes [15]. This distribution ensures that there's no single central point of control, significantly enhancing security. Each node contains a copy of the ledger, preventing data manipulation or tampering without consensus across the network.

Within the blockchain, cryptographic hashing [16] and timestamps are applied to evidence. This process creates a unique, irreversible digital fingerprint for each piece of evidence. Once stored, any alteration or deletion becomes computationally infeasible, establishing tamper-proof records.

Smart contracts, [13] self-executing digital agreements, automate predefined rules and actions related to evidence management. By encoding these rules into smart contracts, the system ensures consistent execution, transparency, and reliability in managing evidence throughout its lifecycle.

Blockchain's transparent nature allows authorized users to access evidence records. This access enables verification of the evidence's authenticity and integrity. The transparent and auditable nature of blockchain fosters trust among stakeholders and ensures transparency in evidence handling.

Leveraging cryptographic techniques inherent in blockchain technology, the overall security of evidence is bolstered. These techniques ensure that unauthorized access or modifications to evidence are prevented, maintaining the integrity and confidentiality of stored information.

f) GANACHE:

Ganache serves as an intuitive interface for Ethereum [14] blockchain activities. It offers a graphical display of crucial details such as accounts, transactions, and smart contracts [13]. This user-friendly interface simplifies the exploration and management of Ethereum blockchain functionalities for developers and users.

Ganache provides insights into individual blocks within the Ethereum blockchain. It shares essential information like block numbers, timestamps, transactions contained within each block, and gas usage. This comprehensive data assists in performing in-depth blockchain analysis, understanding the sequence of events, and assessing network performance. The hash of the file stored on distributed nodes [15] determines the root object and after that its path and now by tracing the path and stored IPFS objects there, the file in its original version can be obtained [6].

Furthermore, Ganache's functionality extends to facilitating data retrieval from stored blocks. Developers can access specific block information, enabling them to extract and analyze detailed data relevant to their applications or smart contracts [13].

8 10 D V Desktores - Depen Economics Pro x +						-	o x
← C (③ loshot838)		p #	ά Φ	¢	æ	8	- 0
W ORGAN DONATION PLATFORM							
	Login						
	username						
	password						
	Lopin						
			. 545			47.11	
Party-sunar C Search			1N	V-91	9 30	94.5334	• •
Fig	2 Login Page						

IV. EXPERIMENTAL RESULTS



Fig 3 Home Page

(b)							
G G 12/00/http://doi.htm			6 K K 1	1.6	18	đ	V
Vitalflow Organ							
Donation Manageme	nt System						
			Homepage				
	Register Donor	Register Patient					
	Mary Danam	Mary Detionts					
	view Donors	view patients					
	Varify Diadras	View Plednes					
	Venily Fledges	field Fledges					
	Transpla	ant Match					
	Search Donor	Search Patient					
	Danor Medical ID	Partient Medical ID					
		Scarch					
	a sam inter	= 🔊 🔇 🔊 🖿 刘 🙆	A 94	9.00	۰.,	1167	o 🗛

Fig 4 Registration Page

(2) University for the interview of t	× +				0
C C loghestice.	or-registration.html		4 C 2 4 2	16 1	
	000 ORCAN DONAT	ION			
	PLATFORM				
		Register an organ donor			
		Faithers			
		Partonne			
		Addition			
		A94			
		Constr.			
		Man Down Other			
		The second se			
		Direct Type			
		A			
		(reparta):			
		Left Kidney Right Hidney			
		Letting Egyling Live			
		Fair Fair Barran			
		11111			
		weitigt			
		Lidow lower			
		Height.			
		and a second			

Fig 5 Donor Registration Page

0 B Variacional x +						~	-	E.	12
· O O Banadosayataan agatatoonaa		a	8.1	0 U	61	ø			ŝ
PLATFORM									
	Register an organ acceptor								
	Did North								
	Full come								
	19K								
	444								
	CAULTURE CONTRACTOR CONTRACT								
	Hule Temale Others								
	hites stated p								
	Phone Property of								
	4 V								
	angungs								
	Left Killney Bight Killney								
	tetting lighting ther								
	Third Line Determine								
	The second se								
	via tyle								
	Helphe (em):								
	weight .								
	Nation								

Fig 6 Patient Registration Page



Fig 7 Donor Details

	PLAT	ORM												
				c	etails	of Regis	stered Do	nors						
10103	PULL NAME	404	Devites	HEEKCAL	86,000 1192	many	weigeliet	нинасно	NOTIFIE NAME	CONTRET	LOCATED			
а.	therete	20	Terrate		0	Liset	50	170	epolo	0070540210	thingse	-		
3	mpri	21	Security .	3	0.	Left Kicney	60	155	kiron	0020301510	se Make			
	s,ritha	21	Permite		4+	Line	40	160	delus	300056230	instruction			

Fig 8 Patient Details

Note: Note: Set in the set												
NO.01 NO.02 ADI CARLO NO.00 NO.00 NO.000 NO.000 NO.000 1 Isolah 0 10 10 10 10 10 10 10 1 Isolah 0 10 10 10 10 10 10 10 Verify Pledge 1 0 10 10 10 10 10 Verify Pledge 1 10 10 10 10 Verify Pledge 10 10 10 10 Verify pledge 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10					Deta	ils of Pend	ing Pledged Donors					
k kola 27 kola 2 (a) Unitedivação da cala da c Cala da cala da c Cala da cala da ca	NOR	NAME	AGE	CENDER	ID ID	TYPE	ORGAN	MERCH	г нехн	1		
Verify Pledge mmin m m m m m m m m m m m m m m m m m		licito	29	Make		0+	Left Klidney, Alght Klidney, Left Lung, Alght Leng, Liver, Heart, Byes, Pancreas, Hostine	90	190			
						Left Kidsey,Right I Lung,Liver,Hoart,B 70 170	Clangs Alt Lung Mate yes/Assenas.Incotine					

Fig 9 Pending Pledge Details

🛍 🖬 👻 tolyasi	Manac	× -										-	3	1
- C () Indhots	olitikaen piedy	echteri						G, A		Φ	5 8	8		
	9	PLAT	N DOP	IATION										
					0	Details of	Pledged Donors							
	NOR	90.1	ACE	OFFICER	MEDICAL	81000-	ORCAN	MERCHE	назне					
		NAME				TYPE								
		bhatata	29	Emple	,	~	Bigbs Kidney	80	360					
	2		23	Female	ő	~	Heart	50	140					
		lyvchi	30	Fomale	15	**	HOPT	90	160					
	4	hh	78	Hale	90	A-	Left Kidney, Bight Kidney, Left Lung Right Lung, Leopies of Parametric Interaction	60	160					
		keds	27	Male		•	Left Kidney, Right Kidney, Left Lung Fight Lung, Jover, Hort, Bjert, Princess, Intestine	70	170					
				Q Sect		= 🕰	🔊 🔮 🎅 🖿 🍕 🧶 🖷 🖘 🤹					17.2	4	

Fig 10 Pledged Donor Details



Fig 11 Transplant Match Details

Image: Contraction Management System Image: Contraction Management System Image: Contraction Management System Image: Contraction Manag	ili 🗖 👻 autord o	Apendenzian (A) X								-	5
Handbord organi Image: Construction Image: Construction <td< td=""><td>→ C (O holted</td><td>2000)</td><td></td><td></td><td>6,</td><td>49</td><td>2 0</td><td>Dΰ</td><td>÷</td><td>3</td><td></td></td<>	→ C (O holted	2000)			6,	49	2 0	Dΰ	÷	3	
CONSIGNATion (Consignation of Consignation of		Vitalflow Organ									
Wingdoor Parlance Waare barrance Waare barrance Word Parlance Word Parlance Word Parlance Word Parlance Waare barrance Waare bar		Donation Mana	gement System		Homopage						
Righter failor Righter failor Vace barrer Vace barrer Vace failor Vace barrer Vace failor Vace barrer Transactor Match Transactor Match Vace failor Vace barrer Vace failor Vace barrer <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
Vacar Elanors Vacar Elanors Vacar Endegram Transmit Flatment Farment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatment Flatme			Register Donor	Register Patient							
With an industry			View Donors	View Patiente							
Votire products											
Tanguard Match			Verify Pledges	View Pledges							
TraingUrate MARCH											
Agradh Duran The Mark Marken			Transpl	ant Match							
The second secon			Search Donor	Search Patient							
Victor of the Victor of the Vi			3	3							
The set of			Additional day	A di Noran diaya Anna 18							
der price de antre de price de antre de price de antre de antre este de antre de an			Constant Victor	Constant Persons							
			Organi Laft Hidney	Organic Left IC Strey							
			Heght 1%	Heights 155							
			No. and	Name							

Fig 12 Search Donor and Patient with Medical id

And and a second se												
C (i) halfs	MITTER/INNEWINGCOM					a, 75	L.	0 0	2 12	6	8	
	OBGAN DONATION PLATFORM	-	gan dan staat Pandaja	alaatus	fastari	America						
	Awareness											
	Literature Survey											
	The manufacture part of equipart decreases on their 14 and control or exclusion action of 15 the control occurrence control control respective control of the control occurrence of the rest encounter of the control occurrence of the rest of the control occurrence in the test of the A control manufacture of these tests resterings.	Addamination actions of the distribution in action of the distribution of the distribution of the of the distribution of the distribution of the distribution of the distribution of the metalogic legal and the metalogic of the metalogic legal and the metalogic of the	Institution of the second seco	te Produktion suit in Movie y Mitta data di give nerana sp	n of the many or each the pro- resolution there is no owner an option on a Ter	and ma and a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of a state of	abouty protect is sed					
	The effective altern point the data alteration determinant memory of the sector of the data alteration of the sector of the sect	Educates a more grine three on wood per second a real value of memory const reals, adopt constant of an influeix construction of the second period of the second period back that second grave field back that second construction of the second period of the second backware to date the	er des Ordogit american antriac managericas and altra-eta mpactimetation totale la mpacting, The I micol accesses to eroca ageita dictante d'anno effi- tes berfa, act 1, 40	Rocks have se and prefer color distant an and as prover to be color by and could with which a soci-	contract pace contraction of contraction that a very broken reduction can be stress for a	a Booke ihodeye isa some way of t made a citizen, o	nan nwigh maiouraite auruler -alead weisterw					
	Organ Donation											
	Department is interestighting part of body (signed a perior to a case of a least while watch in galacting beneficies (south a submetter interestighter) beneficies the other and the submetter is the submetter beneficies of the submet of the submetter is the submetter.	o a person with evolving angle organic clinics etc. The angles Back can be writtened to serve many wight or a sign person and to take etc.	disserving sectors in closely for periods is all of your ormality oper	ngolant Ani orga Alam malaker ka Alam malaker ka	an an part of drug cost now a the fattor	he body Ukreja bodyska	nter incond Ita					
	Legal Framework In India											
	Degree convertions in strate to explain and they have Transport defaults reaching press. Takes there the transport to provide any other default and provide the transport of strategy cards and the analysis of the 2000 prime to each of the King demand 2.2 prime) is not the out of the 2000 prime to each of the Lineary Corganitation, every instrate the Directory of the	entries of Haman Organs and Ta- alastic of Swam. The Net and Organs of and the United States of any entries of and the United States of the sectors of the organized States and the po- pole of the set sectors and the po- pole of the set sectors and the organs a	man Art, 1993, Trie ave an and Traser Transford ordered by Albergha arts of the same the ta- poor table same the ta- poor table Service of the after cheft. Service of the	Deve both des Departmenters of a factor of the plot factor of the transfer both to manche both to	seared and live 240 ⁻¹⁰ (hand) and it makes the program deer program	to concern land on the and that and the S compared	n to he spect out that all here eck					
	of public anwences regions a second build build	construction of the state of the second										

Fig 13 Awareness

(S) ACCON	NTS 🛞 ROCKS 🕑 TRANSA	CTIONS	() 1919113 (E) LOSS	CITER OF HER ADDRESS IN THE STATES	۵
calerace 17	MARKED DISCOURSESSION CONTRACTOR	астионало 5777 натарудота в в 7545	NUME STATE	O DO AN EPHAL	٥
8.0CK 12	10204-04-32 07152:07		454 884 354732	1 TELEVISION	
11	1833-91-33 87:51:87		and unit 2006au	1 Modelski Direk	
8.5CK 10	WHER DH 24224 BA GD C/110-DB		645.850 V95273	I NOW SACTION	
9.0CK	1024-04-33 07:49:10		440251	1 Hoursaction	
8.0CK 8	NUMER ON 2023-005-022 (071977-123		040 HID 31400 3	1 HOURSECTION	
8.10X 7	N RE 01 3434-04-22 18176-55		645 8928 3326428	1.0045467004	
8.0CK 6	1934-94-27 18125154		147.024	1 INSUESCE DE	
8.2CK 5	N H2 01 2425-05-92 28125115		0A0 8008 36.8315	- 1000 a.c. 10.00	
8.0CK 4	1814 94 27 18132129		044 80-0 28013	1 WARSACTION	
8.00X 3	1024-04-27 10122129		2322164	1 IDDA SACTION	
8,258	N HE OF		943 1502		

Fig 14 Ganache Screen



Fig 15 Block Details

Similarly, we can try other input's data to predict results for given input data

V. CONLUSION

In conclusion, the implementation of the web-based organ donation system has proven to be successful, marking a significant step forward in optimizing organ allocation. This project highlights the crucial role of age prioritization in maximizing the effectiveness of organ distribution. Through the integration of technology, we have been able to streamline processes and allocate organs more efficiently, thereby increasing the likelihood of saving lives within the donation ecosystem. By focusing on age as a key determinant, we ensure that organs are allocated to those who stand to benefit most, reflecting a commitment to fairness and maximizing the impact of each donation. Moving forward, continued investment in such systems will be essential to further enhance efficiency and improve outcomes for both donors and recipients.

It's all about today's generation, the whole world is with you in in your hand. This project informs about necessary support and provides critical recommendations for organ donation who have to install the application or use by website when in need. This management will save many lives of people who are suffering due to lack of organ. This application will impact and address to society and humanity with spreading the concept of life after one's death. This management will give the most user-friendly platform to sign up both the organ donor user or the organ receiver in such an instant and organized way. We mainly focusing to give information in order to prepare organ donor/receiver for this system when patients are in need of organ and who are ready to donate organ on their wish. This all can bring out the positive outcome. Therefore, we should spread awareness and encourage the acceptance of organ donation management system by using mobile or website in health care system to save lives as much as possible. We acknowledge the importance of every specific person of team work while project development and management.

VI. FUTURE SCOPE

Looking ahead, the evolution of our organ donation system could involve fine-tuning age-based prioritization while integrating additional factors like medical urgency and compatibility. This comprehensive approach promises to enhance effectiveness and extend the system's reach. Collaborations with healthcare institutions and government agencies would be pivotal in scaling up and promoting widespread adoption of the platform. Such partnerships hold the potential to revolutionize organ allocation practices, ushering in a new era of fairness and efficiency. By continually refining and expanding the system, we can ensure that organs are allocated to those in greatest need while maximizing the impact of each donation. This forward-looking strategy underscores our commitment to saving more lives and advancing the field of organ transplantation.

REFERENCES

- [1]. Online Organ Donation Management System, March 2019 Author: Siddhant Rastog, Shailesh Tiwari, Ms. Madhavi Mane https://ijirt.org/master/publishedpaper/IJIRT147749_PAPER.pdf
- [2]. A Web DAPP for Efficient Organ Donation Management System, May 2023 Author: Gollu Ajay, Allu Lokesh, Gantla kousalya https://ieeexplore.ieee.org/document/10141438
- [3]. Organ Donation Decentralized Application Using Blockchain Technology Author: Lama Abdulwahab Dajim, Rincy Merlin Mathew, May 2019 https://ieeexplore.ieee.org/document/8769459/
- [4]. L. A. Dajim, S. A. Al-Farras, B. S. Al-Shahrani, A. A. Al-Zuraib and R. M. Mathew, "Organ donation decentralized application using blockchain detechnology", Proceedings of the 2nd International Conference on Computer Applications & Information Security (ICCAIS), May 2019.
- [5]. P. Ranjan, S. Singh, S. Agrawal and V. K. Singh, "Decentralized and distributed system for organ/tissue donation and transplantation", 2019 IEEE Conference on Information and Communication Technology (ICT), 2019, July.
- [6]. J. Benet, "Ipfs-content addressed, versioned, p2p file system," arXiv preprint arXiv:1407.3561, 2014.
- [7]. B. G. Pillai, J. A. Madhurya, D. Lal and J. Jecob, "An effective protection of data for Organ Donation using Blockchain Technology", International Journal of Electrical Engineering and Technology (IJEET), vol. 11, no. 5, pp. 73-82, July 2020.
- [8]. S. Nakamoto, "Bitcoin white paper," 2008

- Scroll.in, "Why organ trafficking thrives in India." https://scroll.in/pulse/813993/the-illegal-organ-tradethrives-in-India-and-it-isn't-[9]. likely-to-end-soon.
- [10]. D. P. Nair, "Organ is free, transplant cost is problem." https://timesofindia.indiatimes.com/life-style/healthfitness/healthnews/Organ-is-free-transplant-cost-isproblem/articleshow/54014378.cms, 2016 M.I. Salagar, P.G. Kulkarni and S. Gondane, "Promoting and Assisting Eye Donations Using Mobile Application", International
- [11]. Conference on Computational Intelligence and Computing Research, 2013.
- [12]. Quoc Khanh Nguyen and Quang Vang Dang, "Blockchain Technology for the AdvancementoftheFuture", International Conference on Green Technology and Sustainable Development, 2018.
- Mohammad Tabrez Quasim, Alaa Abd Elhamid Radwan, Goram Mufareh M Alshmrani and Mohammad Meraj, "A Blockchain [13]. Framework for Secure ElectronicHealthRecordsin Healthcare Industry", International Conference on Advanced Communication Technology, 2019.
- [14]. Mogi Jordan Christ, Rahmanto Nikolaus Permana Tri, Wiranto Chandra and Wang Gunawan, "Exploring Blockchain in Healthcare Industry", International Conference on ICT for Smart Society, 2019
- K. M. Giannoutakis, G. Spathoulas, C. K. Filelis-Papadopoulos, A. Collen, M. Anagnostopoulos, K. Votis and N. A. Nijdam, "A [15]. Blockchain Solution for Enhancing Cybersecurity Défense of IoT", Internation Conference on Blockchain, 2020.
- [16]. J. Benet, "Ipfs-content addressed, versioned, p2p file system," arXiv preprint arXiv:1407.3561, 2014.